

**ALT**



# ALT

## Glazirane porcelanske ploščice | Glazed Porcelain Tiles

Reliefna površina | Structured Surface  
 30 x 60 cm | 11,8" x 23,6"

-  Odpornost proti zmrzovanju | Frost Resistance
-  Primerno za zunanje površine | Suitable for Outdoor Areas
-  Primerno za bivalne površine | Suitable for Residential Areas
-  Talna ploščica | Floor Tile
-  Stenska ploščica | Wall Tile
-  Mat ploščica | Matt Tile
-  R10 Razred drsnosti | Slipperiness
-  B Razred drsnosti na mokri podlagi | Slipperiness on Wet Surfaces
-  PEI IV Odpornost proti obrabi | Abrasion Resistance
-  V3 Ploščice z zmerno različnim odtenkom in/ali izgledom | Tiles With Moderate Shade and/or Aspect Variation
-  14 Število različnih lic | Number of Different Faces






### BARVE | COLORS



923576 ALT GREY



Alt Grey

RAZLAGA SIMBOLOV Symbol Explanation	OPIS Description							
		cm	kos / pcs	m <sup>2</sup> / Mq	kg	pakotov / boxes	m <sup>2</sup> / Mq	kg
Odpornost proti zmrzovanju   Frost Resistance		30x60	7	1,26	23,00	60	75,60	1.380



# ALT

## Gorenje Keramika, d.o.o.

**Sedež/Headquarters:** Partizanska cesta 12,  
3320 Velenje, Slovenija

**Lokacija/Location:** Gorenje 1/b,  
3327 Smartno ob Paki, Slovenija

**T:** +386 (0)3 896 61 10

**F:** +386 (0)3 896 61 13

**E:** [keramika@gorenje.com](mailto:keramika@gorenje.com)

**W:** <https://si.gorenje.com/izdelki/keramika>  
<https://ceramics-gorenje.com/>

